



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048

An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org

E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001244F

TEST REPORT

NO : C2/0000061838

Issued To :

Client Code : (RAID01G1330)

GRASIM INDUSTRIES LIMITED

BIRLA PAINTS DIVISION, 2ND FLOOR

ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,

PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,
RAIGAD, MAHARASHTRA

RAIGAD

MAHARASHTRA-410208

Date

: 15-May-24

Job No

: 2405-2-B182-11

Booking No

: PJ2425/2/7

Booking Date

: 01-May-24

Customer Ref No.

: WO No. 4900004620

Customer Ref Dt.

: 22-Apr-24



TC-5090

Sample Particulars: One sample described as "Paint, Marked as -Birla Opus Prime I10 Interior Water Thinnable Primer, I10 White Prime I10 Primer, (9101109900)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl. No	Test	Result	Test Method
1	Volatile Organic Content, g/L	4.3	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024

Date of Start : 03/05/2024

Date of Completion : 15/05/2024

Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE:(20346)

D.A.S. RAMASUBRAMANIAN
SCIENTIST 'B'

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone :080 - 35000500, 28410165, 28410166, 28410167

Fax : 91-80-28410189

See overleaf for terms & conditions



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048

An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org

E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001245F

TEST REPORT

NO : C2/0000061839

Issued To :

Client Code : (RAID01G1330)

GRASIM INDUSTRIES LIMITED

BIRLA PAINTS DIVISION, 2ND FLOOR

ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,

PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,

RAIGAD, MAHARASHTRA

RAIGAD

MAHARASHTRA-410208

Date : 15-May-24


Job No : 2405-2-B182-12

Booking No : PJ2425/2/7

Booking Date : 01-May-24

Customer Ref No. : WO No. 4900004620

Customer Ref Dt. : 22-Apr-24



TC-5090

Sample Particulars: One sample of "Paint, Marked as - Birla Opus Prime E50 Exterior Premium Emulsion Paint- White, E50 White Prime E50, (9160509900)" was received.
(Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl.No	Test	Result	Test Method
1	Volatile Organic Content, g/L	10.9	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024

Date of Start : 03/05/2024

Date of Completion : 15/05/2024

Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE: (20346)

D.A.S. RAMASUBRAMANIAN
SCIENTIST 'B'



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001246F

TEST REPORT

NO : C2/0000061840

Issued To :

Client Code : (RAID01G1330)
GRASIM INDUSTRIES LIMITED
BIRLA PAINTS DIVISION, 2ND FLOOR
ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,
PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,
RAIGAD, MAHARASHTRA
RAIGAD
MAHARASHTRA-410208

Date : 15-May-24
Job No : 2405-2-B182-13
Booking No : PJ2425/2/7
Booking Date : 01-May-24
Customer Ref No. : WO No. 4900004620
Customer Ref Dt. : 22-Apr-24



TC-5090

Sample Particulars: One sample of "Paint, Marked as - Birla Opus Prime D20 Acrylic Distemper White (Product code: 9100209900)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl.No	Test	Result	Test Method
1	Volatile Organic Content, g/L	9.7	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024
Date of Start : 03/05/2024
Date of Completion : 15/05/2024
Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE: (7037)

D. A. RAMASUBRAMANIAN
SCIENTIST 'B'



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001247F

TEST REPORT

NO : C2/0000061841

Issued To :

Client Code : (RAID01G1330)
GRASIM INDUSTRIES LIMITED
BIRLA PAINTS DIVISION, 2ND FLOOR
ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,
PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,
RAIGAD, MAHARASHTRA
RAIGAD
MAHARASHTRA-410208

Date : 15-May-24
Job No : 2405-2-B182-14
Booking No : PJ2425/2/7
Booking Date : 01-May-24
Customer Ref No. : WO No. 4900004620
Customer Ref Dt. : 22-Apr-24



Sample Particulars: One sample of "Paint, Marked as - Birla Opus Prime D20 Acrylic Distemper D2001 Pastel (Product code: 9100209901)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl.No	Test	Result	Test Method
1	Volatile Organic Content, g/L	16.0	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024
Date of Start : 03/05/2024
Date of Completion : 15/05/2024
Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE:(
D.A.S.RAMASUBRAMANIAN
SCIENTIST 'B'



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001248F

TEST REPORT

NO : C2/0000061842

Issued To :

Client Code : (RAID01G1330)
GRASIM INDUSTRIES LIMITED
BIRLA PAINTS DIVISION, 2ND FLOOR
ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,
PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,
RAIGAD, MAHARASHTRA
RAIGAD
MAHARASHTRA-410208

Date : 15-May-24
Job No : 2405-2-B182-15
Booking No : PJ2425/2/7
Booking Date : 01-May-24
Customer Ref No. : WO No. 4900004620
Customer Ref Dt. : 22-Apr-24



TC-5090

Sample Particulars: One sample described as "Paint, Marked as - Birla Opus Prime I30 Interior Emulsion Paint, I30 1 Prime I30, (9100309901)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl.No	Test	Result	Test Method
1	Volatile Organic Content, g/L	3.0	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024

Date of Start : 03/05/2024

Date of Completion : 15/05/2024

Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE:(

D.S. RAMASUBRAMANIAN
SCIENTIST 'B'



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048

An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org

E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001249F

TEST REPORT

NO : C2/0000061843

Issued To :

Client Code : (RAID01G1330)

GRASIM INDUSTRIES LIMITED

BIRLA PAINTS DIVISION, 2ND FLOOR

ADITYA BIRLA SCIENCE AND TECHNOLOGY

CENTRE,

PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,

RAIGAD, MAHARASHTRA

RAIGAD

MAHARASHTRA-410208

Date : 15-May-24

Job No : 2405-2-B182-16

Booking No : PJ2425/2/7

Booking Date : 01-May-24

Customer Ref No. : WO No. 4900004620

Customer Ref Dt. : 22-Apr-24



TC-5090

Sample Particulars: One sample of "Paint, Marked as - Birla Opus Prime E30 Exterior Emulsion Paint-Mid-tone, E30 2 Prime E30, (9160309902)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl.No	Test	Result	Test Method
1	Volatile Organic Content, g/L	3.1	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024

Date of Start : 03/05/2024

Date of Completion : 15/05/2024

Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE: (7038)

DR. RAMASUBRAMANIAN
SCIENTIST 'B'



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048

An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org

E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001250F

TEST REPORT

NO : C2/0000061844

Issued To :

Client Code : (RAID01G1330)

GRASIM INDUSTRIES LIMITED

BIRLA PAINTS DIVISION, 2ND FLOOR

ADITYA BIRLA SCIENCE AND TECHNOLOGY

CENTRE,

PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,

RAIGAD, MAHARASHTRA

RAIGAD

MAHARASHTRA-410208

Date

: 15-May-24

Job No

: 2405-2-B182-17

Booking No

: PJ2425/2/7

Booking Date


: 01-May-24

Customer Ref No.

: WO No. 4900004620

Customer Ref Dt.

: 22-Apr-24



TC-5090

Sample Particulars: One sample described as "Paint, Marked as - Birla Opus Prime I50 Interior Premium Emulsion, I50 1 Prime I50, (9100509901)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl. No	Test	Result	Test Method
1	Volatile Organic Content, g/L	16.3	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024

Date of Start : 03/05/2024

Date of Completion : 15/05/2024

Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE: (7037)

DR. S. S. SUBRAMANIAN
SCIENTIST 'B'

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone :080 - 35000500, 28410165, 28410166, 28410167

Fax : 91-80-28410189

See overleaf for terms & conditions



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048

An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org

E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001251F

TEST REPORT

NO : C2/0000061845

Issued To :

Client Code : (RAID01G1330)

GRASIM INDUSTRIES LIMITED

BIRLA PAINTS DIVISION, 2ND FLOOR

ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,

PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,

RAIGAD, MAHARASHTRA

RAIGAD

MAHARASHTRA-410208

Date : 15-May-24

Job No : 2405-2-B182-18

Booking No : PJ2425/2/7

Booking Date : 01-May-24

Customer Ref No. : WO No. 4900004620

Customer Ref Dt. : 22-Apr-24



TC-5090

Sample Particulars: One sample of "Paint, Marked as - Birla Opus Prime E30 Exterior Emulsion Paint-Pastel, E30 1 Prime E30, (9160309901)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl. No	Test	Result	Test Method
1	Volatile Organic Content, g/L	21.8	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024

Date of Start : 03/05/2024

Date of Completion : 15/05/2024

Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

A. R. S. RAMASUBRAMANIAN
AUTHORISED SIGNATORY
EMPLOYEE CODE: (7036)

A. R. S. RAMASUBRAMANIAN
SCIENTIST 'B'

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone :080 - 35000500, 28410165, 28410166, 28410167

Fax : 91-80-28410189

See overleaf for terms & conditions



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048

An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org

E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001252F

TEST REPORT

NO : C2/0000061846

Issued To :

Client Code : (RAID01G1330)

GRASIM INDUSTRIES LIMITED

BIRLA PAINTS DIVISION, 2ND FLOOR

ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,

PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,
RAIGAD, MAHARASHTRA

RAIGAD

MAHARASHTRA-410208

Date

: 15-May-24

Job No

: 2405-2-B182-19

Booking No

: PJ2425/2/7

Booking Date

: 01-May-24

Customer Ref No.

: WO No. 4900004620

Customer Ref Dt.

: 22-Apr-24



TC-5090

Sample Particulars: One sample of "Paint, Marked as - Birla Opus Prime E50 Exterior Premium Emulsion Paint-Pastel, E50 1 Prime E50, (9160509901)" was received. (Sampling not done by Shriram Institute for Industrial Research).

TEST RESULT

Sl. No	Test	Result	Test Method
1	Volatile Organic Content, g/L	13.2	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024

Date of Start : 03/05/2024

Date of Completion : 15/05/2024

Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE: (7034)

D.A.S. RAMASUBRAMANIAN
SCIENTIST 'B'



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

14 - 15, Sadarmangala Industrial Area, Whitefield Road,
Bengaluru - 560048
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute-blr.org

ULR NO. : TC509024100001253F

TEST REPORT

NO : C2/0000061847

Issued To :

Client Code : (RAID01G1330)
GRASIM INDUSTRIES LIMITED
BIRLA PAINTS DIVISION, 2ND FLOOR
ADITYA BIRLA SCIENCE AND TECHNOLOGY
CENTRE,
PLOT NO. 1 AND 1-A1, MIDC TALOJA, PANVEL,
RAIGAD, MAHARASHTRA
RAIGAD
MAHARASHTRA-410208

Date : 15-May-24
Job No : 2405-2-B182-20
Booking No : PJ2425/2/7
Booking Date : 01-May-24
Customer Ref No. : WO No. 4900004620
Customer Ref Dt. : 22-Apr-24



TC-5090

Sample Particulars: One sample of "Paint, Marked as - Birla Opus Prime E70 Exterior
Luxury Emulsion Paint-Pastel, E70 1 Prime E70, (9160709901)" was received. (Sampling not
done by Shriram Institute for Industrial Research).

TEST RESULT

Sl.No	Test	Result	Test Method
1	Volatile Organic Content, g/L	3.0	As per guidelines of ASTM D 6886-18

Date of Receipt : 01/05/2024
Date of Start : 03/05/2024
Date of Completion : 15/05/2024
Date of Issue : 15/05/2024



***** End *****

GC-01(Rev-05)

1/1

AUTHORISED SIGNATORY
EMPLOYEE CODE:(70341)

D.A.S. RAMASUBRAMANIAN
SCIENTIST 'B'